by drought. He devoted himself to the question of how this alarming process could be checked, and in 1918 published his well known scheme for the diversion of water from the Zambesi into the great depressions of

Lake Ngami and the Kalahari.

In 1925, while on the Kalahari reconnaissance expedition, sent by the Government to investigate his proposals, Professor Schwarz found the country suffering from floods and he returned by canoe from the Victoria Falls to Lake Ngami, which was reoccupied by water, * * * Professor Schwarz has just published an account of his journeys in this region. In his book he says "A country that had resigned itself to a condition of permanent drought was for a time gladdened by the sound of rip-pling water on all sides." The book also contains a summary of the condition of Lake Ngami as follows: 1760, dry; 1813 to Livingston's visit in 1849, a great lake that had already begun to decline; 1854-1864, some shallow water surrounded by reeds; 1896-1922, no water, lake bed a dry plain; 1925 lake reoccupied by water.— Reprinted from Nature, February 2, 1929. Snow cover in eastern Siberia.—W. B. Shostakovitch

summarizes the snowfall in eastern Siberia as follows: Measurements have been made daily at 7 a.m. since 1881. Up to 1913 they had been made at 231 stations, only about 37 per cent of them, however, have so long a series as 5 years. The thickness of the snow cover, while it shows good correlation with precipitation, depends as well upon many other elements, such as air temperature, wind, evaporation, etc. February is the month of maximum snowfall. The depth in that month ranges from 10 to 100 centimeters (3.9 to 39 inches). Topographic features exert a great influence upon the accumulation of snow. On the windward slopes of mountains where the precipitation is heavy, the depth of snow increases considerably; on leeward slopes it decreases sharply. A snow sheet covers the ground from 25 to 70 days in the seaside district northeast of the Sea of Okhotsk and attains to 250 to 259 days in the extreme north regions. Almost all eastern Siberia lies under an uninterrupted snow cover during more than 150 days, the duration gradually increasing with latitude.

Meteorological summary for Chile, April, 1929. (By J. Bustos Navarrete, Observatorio del Salto, Santiago. Chile.) -- Atmospheric circulation had moderate intensity during the month of April. In the central zone lack of precipitation continued, while in the southern zone there

was normal intensity of rainfall.

The chief depressions, bringing foul weather and rain in the south, were those of the 1st-2d and 6th, crossing the extreme south, and, most important, that of the 20th

causing general rains as far as Talca.

Periods of fine weather accompanied anticyclonic centers charted as follows: 7th-9th, in the southern region: 17th-18th, moving from Juan Fernandez to Chiloe; 25th-28th, advancing from southern Chile to the central part of northern Argentina.

The total monthly precipitation was 0.75 inch to 1.20 inches in the region of Concepcion and around 8 inches

in region of Valdivia.—Translated by W. W. R.

BIBLIOGRAPHY

C. FITZHUGH TALMAN, in Charge of Library

RECENT ADDITIONS

The following have been selected from among the titles of books recently received as representing those most likely to be useful to Weather Bureau officials in their meteorological work and studies:

Čzéchoslovakia. Statni ústav meteorologický v Praze. II, u Karlova 3. Státní ústav meteorologický v prvém desetiletí Republiky 1918–1928. Praha. 1928. 7, 91 p. illus. 31 cm. Au-thor and title in Čzechoslovakian and French.] (Pub. sér. C, vol. 1, année 1928.)

Dannmeyer, F,

Strahlungsbiologische Ergebnisse der deutschen Island-expeditionen 1926/27. p. 797-801. illus. 30 cm. (Die Umschau. 32. Jahrg. H. 39, Sept. 1928.)

Factores climatológicos de la ciudad de Lima en el año 1927-p. 51-69. diagr. 25 cm. (Boletin de la Compañia admin. del Cuano, v. 5, no. 2, Feb., 1929.)

Gutierrez Lanza, M[ariano].

Ciclones que han pasado por la Isla de Cuba, o tan cerca que hayan hecho sentir en ella sus efectos con alguna fuerza desde 1865 a 1926. Habana. 1928. [3 p.] 52 cm. (Boletín hydrog. Rep. de Cuba, Habana. Julio-Agosto, 1928.)

Ingersoll, Herbert V.
Lightning. p. 62-71. illus. 24½ cm. (Stone & Webster journ., v. 43, no. 1. July, 1928.

Lemke, Otto.

Der Wetterwart. Eine Wetterkunde für jedermann. Schwer-in. 1927. 24 p. figs. 22½ cm.

Lindenberg. Aeronautisches Observatorium.

Dauer der bürgerlichen Dämmerung. [2 p.] chart. 34½ cm. Luckiesh, M.

Whether or not to know the weather. p. 19-22, 96-97. figs. 29½ cm. (Pop. aviat. & aeron., Feb., 1929.)

Millas, José Carlos.

Un esayo sobre los huracanes de las Antillas. [6 p.] 52 cm. (Bol. hidrog. Rep. de Cuba, Habana. Oct.-Dic., 1928.) Recordando al huracan de la Habana de 1926. [2 p.] 52 cm. (Bol. hidrog. Rep. de Cuba, Habana. Junio-Julio, 1928.)

Ueber die klimatischen Verhältnisse des Eisfjord-Gebietes. b. 611-638. figs. 23½ cm. (Sonderab.: Chemie der Erde. Bd. 3, Jena., 1928.) (Die wissenschaftlichen Ergebnisse einer bodenkundlichen Forschungsreise nach Spitzbergen Von E. Blanck und A. Rieser. No. 2.) in Sommer 1926. Mostajo, Benjamín.

La lluvia en Lima en el período 1909-1927. Resultado de 19 años de observaciones pluviométrico-pluviográficas. p. 585-601. figs. plates (fold.) 25 cm. (Bol. de la comp. admin. del Guano. v. 4, no. 12. Dic., 1928.)

Nones, Rafael.

Inspección de algunas escuelas rurales que sufrieron desper-fectos con el ciclón del dia 13 de Septiembre de 1928, p. 1744-1752. figs. 30 cm. (Revista de obras pub. de Puerto Rico. Año 5, no. 58, Oct., 1928.)

Reeds, Chester A.

Storms and storm tracks. p. 589-604. illus. 25½ cm. [Nat. hist., New York. Nov.-Dec., 1928.]

When winter comes. The many forms taken by frozen water—snow and ice—sleet and hail—glaze and hoar frost. p. 17-32. illus. 25½ cm. (Nat. hist., New York. Jan.-Feb., 1929.)

Santibáñez E., Julio.

Una braveza de mar en la costa de Chile. Santiago. 1928.] p. 615-656. plates. 25½ cm. Anuario hidrog. de la marina de Chile. T. 34. Santiago. 1928.]

Schostakowitsch, W. B.

Periodicität in der Naturerscheinungen. Irkutsk. 1928. v. p. figs. plates. 29½ cm. Selga, Miguel.

Intensity of rainfall in the main cities of the Philippines.

Manila. 1928. 17 p. figs. 29½ cm. (Govt. Phil. Is. Weather bur. Manila cent. obs.)

Wallén, Axel.

Väderlekens samband med hälsotillståndet. Stockholm. 1928. 71 p. figs. 31½ cm. (Medd. från Stat. met.-hydrog. anstalt. Bd. 5. N:o 1.)

Wiese, W. J.

Étude hydrologique des mers des Laptevs et de la Sibérie Orientale. Leningrad. 1926. 86 p. figs. 24 cm. (Acaddes sci. de l'Union des Rép. Sov. soc.) (Matériaux de la Comm. pour l'étude de la Rep. autonome Soviét. soc. Iakoute. Liv. 5.) [Author, title and text in Russian and French. Résumé in English.]